

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	633	347/87.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:16
S2	1574	347/19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/20 19:03
S3	15	347/87.ccls. and 347/19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/20 19:05
S4	15	(347/87.ccls. or 347/19.ccls.) and encad	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/20 19:05
S5	11	347/87.ccls. and memory and test\$3 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/20 19:17
S6	4900	cartridge and memory and test\$3 and compar\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/20 19:19
S7	537	(cartridge and memory and test\$3 and compar\$3) and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/20 19:20
S8	21	((cartridge and memory and test\$3 and compar\$3) and "347"/\$.ccls.) and ((capacit\$3 or resonance) with frequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/04/20 19:21
S9	1	"347"/\$.ccls. and ((test\$3 adj (printhead\$1 head\$1)) same compar\$5 same cartridge\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/25 08:53
S10	10	"347"/\$.ccls. and ((test\$3 adj (printhead\$1 head\$1)) same cartridge\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/25 08:53
S11	1	(test\$3 near cartridge\$1 near (head\$1 printhead\$1)) same characteristic\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:19
S12	7	(test\$3 same cartridge\$1 same (head\$1 printhead\$1) same characteristic\$1) and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:02

S13	104	"5506611"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 08:46
S14	3	"5506611".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 08:46
S15	0	(test\$3 same generat\$3 same compar\$3 same (second with (data characteristic\$1 value\$1)) same cartridge\$1) and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:11
S16	2	(generat\$3 same compar\$3 same (second with (data characteristic\$1 value\$1)) same cartridge\$1) and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:10
S17	0	(test\$3 same compar\$3 same (second with (data characteristic\$1 value\$1)) same cartridge\$1) and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:10
S18	3	(test\$3 same generat\$3 same compar\$3 same (second with (data characteristic\$1 value\$1))) and cartridge\$1 and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:11
S19	2	(test\$3 near (head\$1 printhead\$1) near cartridge) same characteristic\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:21
S20	5	(test\$3 near (head\$1 printhead\$1) near cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:41
S21	0	(memory near (maximum with minimum with value\$1 with resistor\$1) near cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:55
S22	0	(memory near (value\$1 with resistor\$1) near cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:43
S23	21	(memory same (value\$1 with resistor\$1) same cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:43
S24	4	((memory same (value\$1 with resistor\$1) same cartridge)) and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:44

S25	1	(memory same (maximum with minimum with value\$1 with resistor\$1) same cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:59
S26	1	(memory same (predetermined with value\$1 with resistor\$1) same cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:57
S27	5	(memory same (predetermined with resistor\$1) same cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 09:57
S28	3	(memory same (maximum with minimum with value\$1 with (resist\$4 capacit\$4)) same cartridge)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 10:04
S29	1	(memory same (maximum with minimum with value\$1 with (resist\$4 capacit\$4)) same printhead\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 10:04
S30	4	(memory same (maximum with minimum with value\$1 with (resist\$4 capacit\$4)) same (printhead\$1 head\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 10:10
S31	103	(memory same ((capacitance resonance) with frequenc\$4)) same (printhead\$1 head\$1 piezo\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 10:13
S32	3	((memory same ((capacitance resonance) with frequenc\$4)) same (printhead\$1 head\$1 piezo\$)) and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 14:57
S33	0	(ink adj (cartridge container)) same (memory with resist\$4 with (maximum minimum) with value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 12:01
S34	0	(ink adj (cartridge container)) same (memory near resist\$4 near (maximum minimum) near value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 11:25
S35	216	(memory with resist\$4 with (maximum minimum) with value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 11:25
S36	0	((memory with resist\$4 with (maximum minimum) with value\$1)) and inkjet	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 12:08

S37	28	((memory with resist\$4 with (maximum minimum) with value\$1)) and print\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 11:42
S38	2	encad and (cartridge same memory same resistor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 11:44
S39	7	eastman and (cartridge same memory same resistor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 08:25
S40	3	cartridge same (memory with stor\$3 with (resistor resistance) with values)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 11:54
S41	2	(ink adj (cartridge container)) and (memory with resist\$4 with (maximum minimum) with value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 12:03
S42	2	(ink adj (cartridge container)) and (memory same (resist\$4 with (maximum minimum) with value\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 12:04
S43	4	cartridge with memory with resistors	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 12:05
S44	7	((memory with resist\$4 with (maximum minimum) with value\$1)) and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/27 12:13
S45	2	347/87.ccls. and 347/14.ccls. and 347/19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 08:16
S46	861	(printhead\$1 head\$1) with memory with (maximum minimum resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 08:20
S47	20	((printhead\$1 head\$1) with memory with (maximum minimum resistance)) same ("IC" (integrated adj circuit))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 08:18
S48	2	(printhead\$1 head\$1) same memory same (maximum with minimum with resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 08:28

S49	5	(cartridge container) same (printhead\$1 head\$1) same memory same (resistance with values)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 08:35
S50	123	(cartridge container) same (printhead\$1 head\$1) same (memory with (values characteristics parameters))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 08:37
S51	7	((cartridge container) same (printhead\$1 head\$1) same (memory with (values characteristics parameters))) same (test\$3 generat\$3) same (compar\$4 determin\$4 adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 08:38
S52	1	347/19.ccls. and (cartridge same memory same (test\$3 adj pattern\$1) same compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:18
S53	2	"347"/\$.ccls. and (cartridge same memory same (test\$3 adj pattern\$1) same compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:19
S54	5	"347"/\$.ccls. and (cartridge same memory same test\$3 same compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:22
S55	36	((cartridge with memory) same test\$3 same compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:45
S56	1806875	WO "200255310"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:28
S57	0	WO200255310	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:28
S58	1	"200255310"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:31
S59	2	encad and broschart-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:32
S60	4	encad and (brochart-\$.in. grady-\$.in. pan-\$.in.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:33

S61	225	(cartridge with memory with (nozzle\$1 jet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:35
S62	9	((cartridge with memory with (nozzle\$1 jet\$1))) same (test\$3 compar\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:36
S63	0	((memory RAM ROM EEPROM) adj on adj (cartridge hous\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:44
S64	3430	((memory RAM ROM EEPROM) adj (cartridge hous\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:47
S65	15	((memory RAM ROM EEPROM) adj (cartridge hous\$3))) same test\$3 same compar\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:45
S66	66	((memory RAM ROM EEPROM) adj ink adj (cartridge hous\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/06/28 10:47
S67	0	epson and ((cartridge with memory) same resistor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 08:26
S68	36	"347"/\$.ccls. and ((cartridge with memory) same resistor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 14:49
S69	2	"6375299".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 14:49
S70	0	"347"/\$.ccls. and (cartridge same (capacit\$3 with frequenc\$3 with piezo))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 14:58
S71	0	"347"/\$.ccls. and (cartridge same capacit\$3 same frequenc\$3 same piezo)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 14:59
S72	0	"347"/\$.ccls. and (memory same capacit\$3 same frequenc\$3 same piezo)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 14:59

S73	6	"347"/\$.ccls. and (capacit\$3 same frequenc\$3 same piezo)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 17:33
S74	0	"347"/\$.ccls. and ((cartridge with memory with element) same frequenc\$3 same piezo)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 17:34
S75	70	"347"/\$.ccls. and (cartridge with memory with element)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 17:34
S76	1	"347"/\$.ccls. and ((cartridge with memory with element) same piezo)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 17:35
S77	14	"347"/\$.ccls. and ((cartridge with memory with element) same frequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 17:38
S78	3	((capacitor\$1 resist\$4) same frequenc\$4 same piezo) and (cartridge with memory with element)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 17:42
S79	1	(frequenc\$4 with piezo) and (cartridge with memory with element)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 17:41
S80	2	(capacitor\$1 same frequenc\$4) and piezo and (cartridge with memory with element)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/07/01 17:42
S84	256	(test\$3 with cartridge\$1) same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/10 13:30
S85	8	S84 and (resistance adj value\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/10 13:35
S86	22	S84 and "347"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/10 13:35